



WeinCell™ Mercury-free Replacement Batteries - new life for your old camera!

WeinCell is a revolutionary new zinc/air battery designed to replace environmentally - unfriendly (banned) mercury batteries.

Because of their extremely stable output curve, mercury cells were used in many cameras and exposure meters to ensure the most accurate exposure reading possible. But the disposal of mercury batteries has become an environmental problem, and an increasing number of states and other governments are responding by prohibiting the cells altogether.

Distributed By:

Micro-Tools

301 County Airport Rd. Ste 105
Vacaville, CA 95688
Ph: (800)359-2878
Fax: (800)249-3182

www.weincell.com
www.micro-tools.com



Alkaline replacements don't do the trick

Several battery manufacturers now offer alkaline batteries as replacements for their discontinued mercury cells. In most cases, the replacement does not have the same voltage as the mercury battery it is replacing (usually 1.5V instead of 1.35). And, the unstable output inherent with alkaline batteries can result in exposure errors up to 2 stops! Only WeinCells deliver exact voltage and stable output consistent with mercury batteries.

There is a WeinCell to replace each of the following mercury batteries: PX625/PX13, PX675 and RM400. Each has performance identical to the battery it replaces- exactly what you need to get those classic cameras shooting again.



Features:

- Compatible with any camera or meter specifying the respective mercury battery (see battery guide inside).
- Three models available; compatible with hundreds of cameras and meters.
- Voltage output more stable than alkaline replacements.
- No camera/meter adjustment or adapters required.
- Up to 10-year shelf life; the WeinCell is not activated until the pull-tab is removed (removing batteries from equipment and replacing tabs prolongs battery life).
- Environmentally safe.

MRB625 (Replaces PX625/PX13)

Still Cameras **Qty.**

AGFA

Agfamatic 300, 4000, 4008	2
Agfamatic 5008, 6008	3
Optima 535, 1035	3
Family Camera	1*
Optima 500 Sensor	1
Optima 5000, 5008, 6000, 6008 sensors	3
Selectronic, Selectronic S	2

ALPA

9d SLR	2
9d	1

ARGUS

Model 270 Insta-Load	1
----------------------------	---

BELL AND HOWELL

FD35	1
Autoload 340, 341	1*
Auto Reflex Dial 35	1

BESELER

Topcon Auto 100, 1)1, Super D, Unirex	1
---	---

BRONICA

C-2, S-2	2
----------------	---

CANON

A35F	1*
Cononet 28, Gill 17, QL 19, TLB, QL 19E, QL25S, Dial 35, Dial 35-2, Dial Rapid, Pellix, Pelix QL	1
EF	2
EX EE, EX EE Auto, Old F-1, F-1n, FTb, FTb-TX, FT-QL, FX, TX, Demi 17, Demi EE 17	1

CHINON

SLR	1
-----------	---

DACORA

Rapid D101, D202, D404	1
------------------------------	---

EDIXA

LTL, 35MM, Prismat, Amica Auto, TL 1000	1
---	---

EXAKTA

RTL-1000, TL-1000	1
-------------------------	---

FUJI/FUJICA

35FS, 35GP, V2	1
----------------------	---

GAF CORPORATION

L-14, L-17, L-CM, L-CS, Anscomatic 726, Autoset Cds	1
---	---

GAF BERNARD

Auto 35, Model 503, Viceroy 5000	1
--	---

HANIMEX

35EE, 35SL, Compact A, Practica LTL's	1
---	---

HASSELBLAD

Meter Prism Finder CdS	1
------------------------------	---

KALIMAR

K-650 Zenit 2000 CTL	1
----------------------------	---

KEYSTONE

K1010 Auto. Inst.	1*
-------------------------	----

KODAK

Retina 11-F	1
-------------------	---

KONICA

EE-Matic, TC	1
FS-1, T4	2
Auto-S, Auto S/1.6, Auto S-2,	1
Auto S-261 (for meter)	1
Auto-Reflex Autorex	1

KOWA

SE, SER, SET, SET-R, SET-R	2
Super 66, 6MM, 6 Meter/Finder, Meter/Prism ..	1

LEITZ/LEICA

Leica CL, M5, Leicaflex, SL, SL-MOT	1
Leicaflex SL2, SL2-MOT	2

MINOLTA

Auto Pak 700	1
SR-7, SR-7V, SR-100, SR-101,	1
SR-102, SR-200, SR-201, SR-202,	1
SR-MC, SR-SC, SRT200, SRT201,	1
SRT202, SRT-MC II, SRT-SC II	1
Hi-Matics: 7, 7S, 11	1

MINOX

Minox 110S	2
------------------	---

MIRANDA

Automex 11, III, Sensorex	1
---------------------------------	---

NIKON

Nikkormat FT, FTN, F, Photomic Finder DP I, II ..	1
---	---

OLYMPUS

35, 35 DC, 35 LC, 35 RC, 35 RD,	1
35 SC, 35 SP, 35 SPN, 35 UC	1
EED, FTL, M-1	1

J.C. PENNY

SLR 2, SLR 3	1
--------------------	---

PENTAX

Spotmatic F	1
-------------------	---

PETRI

FT, FT 11, FTX, M35, V6 II	1
----------------------------------	---

Anscomatic 726, Computer 35, Flex 7	1
---	---

Color 35	1
----------------	---

Racer, Rapid	1*
--------------------	----

POLAROID

850, 900	1
----------------	---

PRAKTICA

LTL, LTL3, MTL3, MTL5, TL,	1
TL1000, Super TL3, Prakticamat	1

RICOH

100X, 520M Cds, 600M, TLS 401,	1
Singlex, Super Shot 2.4	1
SLX500, TLS400, Auto TLS-EE, Flex	1
TLS401, Simplex, Simplex II, Singlex 1	1

ROLLEI

35S, 35T, A26, XF35	1
---------------------------	---

Rolleiflex SL26, SL35, SL35M, SL350	1
---	---

Rolleimat F	1*
-------------------	----

ROYAL

RTL 1000, Pentagon 6TL	1
------------------------------	---

SEARS

7320, 7323, 7324, 7325, 7347, 7360, 7365,	1
7823, 7870	1

SPIRATONE

Spiraflex TTL	1
---------------------	---

TARON

Auto EE, Auto EL, EL28	1
------------------------------	---

TOPCON

RE-2, RE Super, Super DM, Uni	1
Unirex, Unirex EE	1

VIVITAR

XV-1 35mm SLR	1
---------------------	---

VOIGTLANDER

VSL-1 35mm SLR	1
----------------------	---

VF101 35mm Electronic Rangefinder	4
---	---

Bessamatic CS, Ultramatic CS	1
------------------------------------	---

Vitomatic 11 CS, 111 CS	1
-------------------------------	---

Vitessa 500 AE, 500 SE	2
------------------------------	---

Vitessa 500 S, 1000 SR	1

<tbl_r cells="2" ix="1" maxcspan="1"

FUJI/FUJICA		URIU SEIKI		MIRANDA
AX100, Single 8 C100	1*	Cinemax Regular 8 85E	1	Cadius, F Coupled Meter, FM 1, G, TTP, Clip-On CdS Meter, TTL Penta Prism CdS Meter, Penta Prism Meter
GAF CORPORATION		VIVITAR		1
64, 65, S/272, XL110, 100A, 102A,	1*	TL268, TL368, TL468	1*	
S/83, SC/92, ST/1000, ST/1002	1*			
SC/100, SC/102, Anscomatic 62, S/62, S/84, S/85, S/86, ST/84, ST/87, ST/88, ST/89, ST/90, ST/97, ST/99, ST/100, ST/101, ST/110, ST/111	1*	YASHICA		
GAF-BERNARD		12, 24, 124, 126G, YXL-1.1, Super 40K, Super 40N, 50N	1*	
Viceroy 200, 205, 206, 214, 250, 281, 311, MSP4, CRS V, CRS VI	1*			
GAF-LENSCO		Exposure Meters		
Focal 500, 800, 900, MZV, Lendar 311, Viceroy 200, 205, 206, 214, 250, 281MSP4, CRS V, CRS VI	1*	ACCURA		
HANIMEX		CdS Clip-On	1	
MXL131, XL300	1*	AETNA		
KALIMAR		D-1, D-3, L-1	1	
K610, K611, K683, K686, K688	1*	ALPA		
KEYSTONE		SLR Ile, SLR IleL, SLR Iisi, SLR9d	1*	
K609H, K610H, K616D, K614H, K615H	1*	ARGUS		
KOBENA		616	1	
121, 221, 321, 421	1*	AUTOMEX		
KODAK		3	1	
Electric 8 Zoom Reflex,	1*	BEWI		
Instamatic M-4, M-7, M-9	1*	Super, Super L	1	
Instamatic M-5, M-6	2*	CAPITAL		
KONICA		D-1, D-3, L-1	1	
Super-8, Compact 8	2*	DOT LINE		
LEITZ/LEICA		DL0016, DL0017	1	
Leicina 8S, 8SV, 8V	1*	EXAKTA		
NIKON		RR, RTL, TL Meters, Capitol, Examat, Pentacon, Praktisix, Sedic, Toshiba, Travemat	1	
5x, 8x, Super 8's	1*	GAF-BERNARD		
R8 Super Zoom	2*	Viceroy PR65, PR7	5	
NIZO		GOSSEN		
FA-3 Electric	1	C-Mate, Super Pilot	1	
S40, S48, S55, S56, S80, S480, S560, S800, S8E, S8L, S8T, S36	2*	Luna-Six, Luna-Pro, N100, Super Pilot SBC ...	2	
PATHE		HANIMEX		
Pathe-Webo, Duolight	3	Praktica 66 (meter), PR135, PR140	1	
J.C. PENNY		INTERPHOTO		
Manual Zoom: 2-1, Power Zoom: 2-1	1*	Sunset 65	1	
PETRI		JONAN ELECTRIC		
Flex 7, Rapid Load	1*	Lumitax 412, 413, Oray, Stitz, Stitz M-4D	1	
PETRI-CINE		KALIMAR		
MP-400, MP-500, Cinemax 8H, Saimic ES25, Saimic Super 8	1*	K-431, K-432, K-433, K-437, K-438	1	
PRINZ		KINOX		
Rexamat	1*	Clip-On Model C-1	1	
REVERE		KONICA		
Relfex Electric	2*	CdS Meter for Konica FP	1	
RICOH		KOPIL		
Super 8 100F	1*	L-98, L-136, L-138, L-206, L-216	1	
Super 8 400Z	2*	L-218	2	
SEARS		KOWA		
9110, 9121, 9128-9134, 9180, 9190	1*	Exposure Finder	1	
SEKONIC		LEITZ/LEICA		
Dualmatic-50	1*	Leica Meter MR, Metrastar, MR4	1	
		MINOLTA		
		SR Meter II, S, V	1	
		Color Meter	5	
		Flash Meter	5*	

* Additional batteries required for operation (i.e. "AA" batteries).

MRB675 (replaces PX675)

Still Cameras

ANSCO	
Matic 1010, 1020, 1030	1*
ARGUS	
1015, 1016, 1017, 1036, 1037, Cosina 1038, 1039, STL Reflex	1
CHINON	
35 & 35EE Black Range Finders,	1*
CS, CX II, Boom Mike 35FM, 35FEE Compacts	1
COSINA	
Cosina 35	1
EXAKTA	
FE2000, Carena Twin TL, Twin TL42	1
GAF CORPORATION	
Memo 35EE, 35ET	1
HANIMEX	
35F Compact	1*
KONICA	
EF, EFN	1*
Auto S-3, Electron	1
Autoreflex A,A2, A3, A1000, FTA, N-T3, T, T2, T3, T4, TC	2

MAMIYA	
M135	1
MINOLTA	
Hi-Matic 5, 7, II, C, G, G2, Minolta 16 MGS	1
MINOX	
Minox B, BL	1
MIRANDA	
Auto Sensorex II, EE, EE II, Sensomat, RE, RE II	1
OLYMPUS	
Pen D3	1
PETRI	
FA-1, FT500, FT 1000, TT II, FTEE, MF-1, Color 35E, Micro Compact	1
Color 35E	1*
RICOH	
35EF,35EFS	1*
SEARS	
7376 (35 AF)	1
TOPCON	
135EE (35 MM)	1
IC-1, 35MM	2
VIVITAR	
35CA, 35EE, 35ES, 220/SL, 250/SL, 400/SL, 406, 420/SL, 450/SL, SLX650, XV-10,	1
35EF	1*

YASHICA	
35ME, 35MES, FFT, FX-2, ME-1, MF 1	
35MF, 35MFS	1*

Movie Cameras/Exposure Meters/Accessories

ANSCO	
200 XL, 2010 XL Super 8 Power Zooms	1*
BOLEX	
Direct Boom Microphone	1
CAPITAL	
F-4 Exposure Meter	1
ELMO	
EC-201 Microphone	1
GAF CORPORATION	
Telescopic Boom Microphone	1
JONAN ELECTRIC	
Com, Pallas Clip On Exposure Meters	1

MRB400 (Replaces RM400/V400PX)

PENTAX	
Spotmatic, Spotmatic II, Spotmatic IIA, Spotmatic 500, Spotmatic 1000	1

WeinCells have been tested and recommended by top trade magazines:

Bob Shell, Shutterbug Magazine

"The WeinCell uses an environmentally safe electrolyte which exactly duplicates the 1.35V output and discharge curve of the defunct mercury cells."

"So far we have tested the WeinCell in most types of cameras and light meters designed for use with mercury cells and have not found anything yet that they do not work in."

"Silver cells and alkaline cells emphatically do not work correctly in equipment designed for mercury cells because they have the wrong voltage and discharge curves and can cause exposure errors of as much as two f/stops."

James Bailey, Popular Photography Magazine

"...alkaline batteries are a poor substitute [for mercury cells], even if they're the same size and deliver a similar initial output."

"In our trials using a Gossen Luna-Pro exposure meter, we got the same readings whether we used a brand-new 625 mercury cell ...or WeinCells."

"They (zinc/air cells) contain far less toxic material than do mercury cells, which makes their disposal more environmentally friendly."

"...the WeinCell has essentially the same energy capacity as a mercury cell."

M. Bender, Leica Fotografie International

"WeinCell MRB625/1.35V are superior to PX625 in their characteristic of discharging."

"Alkaline batteries are not recommended, indeed harmful: 1.5V batteries with the same dimensions as the PX625. The higher voltage can damage the tiny metering instruments and will definitely lead to wrong measurement."

"Leica doesn't want to recommend the Varta battery adaptor either, which will decrease 1.5 Volt silver oxide batteries to 1.35 Volts.
"Due to their voltage-decrease-graph these will lead to highly wrong metering" is the official Leica statement."

Micro-Tools Europe

Distributed In Europe (Except The UK) Exclusively By:

Micro-Tools Europe GmbH

Bergstrasse 7

48607 Ochtrup Germany

Telefon 0049 2553 977774 Fax 0049 2553 977775

www.weincell.com